Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	_ 2	"6515268".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:43
S2	2	"6615268".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:44
S3	2	"6745234".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:46
S4	1	wedge.clm. and philyaw.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:47
S5	9	interface.clm. and philyaw.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:49
S6		thompson.xa. and philyaw.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:56
S7	0	goldfinger.inv. and jair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:56
S8	6	goldfinger.inv. and yair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:56
S9	4	S8 and (authoriz\$8 or confirm\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 15:57
S10	0	S9 and advertis\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 16:02

•					,	
S11	4108	order\$3 near4 (advertis\$6 or ads or ad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 16:03
S12	4310	check\$3 near4 authoriz\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 16:03
S13	0	S11 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 16:03
S14	57	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 16:03
S15	10624	709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2005/11/07 11:29
S16	14010	monitor\$3 with traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 13:39
S17	141935	(collect\$4 or monitor\$3 or track\$3) with (customer\$1 or traffic or user\$1 or pedestrian\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:16
S18	5	((("5465115") or ("5559496") or ("5696965") or ("5764283") or ("5812951") or ("5918225") or ("6018697") or ("5485347")).PN.) and (monitor\$3 with traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 13:53
S19	16	(("5465115") or ("5559496") or ("5696965") or ("5764283") or ("5812951") or ("5918225") or ("6018697") or ("5485347")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:00
S20	27694	"705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:00

			r	r	1	7
S21	32	"705"/\$.ccls. and (709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.) and (monitor\$3 with traffic) and ((collect\$4 or monitor\$3 or track\$3) with (customer\$1 or traffic or user\$1 or pedestrian\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:03
S22	57	(monitor\$3 with traffic) and meter\$1 and ((collect\$4 or monitor\$3 or track\$3) with (customer\$1 or traffic or user\$1 or pedestrian\$1)) and (709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/07/12 14:03
S23	12	((monitor\$3 with traffic) and meter\$1 and ((collect\$4 or monitor\$3 or track\$3) with (customer\$1 or traffic or user\$1 or pedestrian\$1)) and (709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.)) and @ad<"19990319"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:05
S24	34	traffic adj meter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:05
S25	14	(traffic adj meter\$1) and @ad<"19990319"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:13
S26	6	((("5465115") or ("5559496") or ("5696965") or ("5764283") or ("5812951") or ("5918225") or ("6018697") or ("5485347")).PN.) and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:13
S27	75	"5696965".URPN.	USPAT	OR	OFF	2004/07/12 14:13
S28	57	"5696965".URPN. and ((collect\$4 or monitor\$3 or track\$3) with (customer\$1 or traffic or user\$1 or pedestrian\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:13
S29	30	"705"/\$.ccls. and ("5696965".URPN. and ((collect\$4 or monitor\$3 or track\$3) with (customer\$1 or traffic or user\$1 or pedestrian\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:13
S30	13	("705"/\$.ccls. and ("5696965".URPN. and ((collect\$4 or monitor\$3 or track\$3) with (customer\$1 or traffic or user\$1 or pedestrian\$1)))) and @ad<"19990319"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:17
S31	19	"5995943".URPN.	USPAT	OR	OFF	2004/07/12 14:16

			110	00	055	2004/07/12 14:15
S32	1	"5995943".URPN. and (monitor\$3 with traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:16
S33	145525	(collect\$4 or monitor\$3 or track\$3 or aggregat\$4) with (customer\$1 or traffic or user\$1 or pedestrian\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:17
S34	530	(709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.) and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2004/07/12 14:17
S35	326	((709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.) and "705"/\$.ccls.) and ((collect\$4 or monitor\$3 or track\$3 or aggregat\$4) with (customer\$1 or traffic or user\$1 or pedestrian\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/07/12 14:17
S36	258	(((709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.) and "705"/\$. ccls.) and ((collect\$4 or monitor\$3 or track\$3 or aggregat\$4) with (customer\$1 or traffic or user\$1 or pedestrian\$1))) and (collect\$4 or aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:17
\$37	99	((((709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.) and "705"/\$. ccls.) and ((collect\$4 or monitor\$3 or track\$3 or aggregat\$4) with (customer\$1 or traffic or user\$1 or pedestrian\$1))) and (collect\$4 or aggregat\$4)) and @ad<"19990319"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:18
S38	3	((((((709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.) and "705"/\$. ccls.) and ((collect\$4 or monitor\$3 or track\$3 or aggregat\$4) with (customer\$1 or traffic or user\$1 or pedestrian\$1))) and (collect\$4 or aggregat\$4)) and @ad<"19990319") and plurality adj3 (meter\$1 or monitor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:19
S39	3	((((((709/209.ccls. or 709/223-224.ccls. or 709/217-219.ccls.) and "705"/\$. ccls.) and ((collect\$4 or monitor\$3 or track\$3 or aggregat\$4) with (customer\$1 or traffic or user\$1 or pedestrian\$1))) and (collect\$4 or aggregat\$4)) and @ad<"19990319") and (plurality adj3 (meter\$1 or monitor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:26

S40	5567	709/217-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:26
S41	5567	709/217-219.ccls. and (709/209.ccls. or 709/223-224.ccls. or 709/217-219. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/12 14:26
S42	4	kramerich.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:00
S43	2	"5465115".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:13
S44	17	"5465115".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:27
S45	7	S44 and (database or repository or datastore)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:39
S46	254	traffic adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:30
S47	53	demographics adj (repository or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:30
S48	0	S47 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:30
S49	1317	pedestrian adj traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:42

S50	10160	traffic near3 monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:30
S51	42	S50 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:30
S52	10	S51 and (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:40
S53	2	"5696965".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:14
S54	1	S53 and (database or repository or datastore)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:39
S55	1055	traffic adj monitor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:42
S56	2	S55 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:40
S57	0	S56 and (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:40
S58	209	S55 and (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR <sub>.</sub>	OFF	2005/02/17 17:43
S59	34	demographic\$1 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:41

			_		·	
S60	10	S59 and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:42
S61	1972	pedestrian near3 traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:48
S62	6986	traffic near5 monitor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:42
S63	11935	traffic near5 monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:46
S64	77	S63 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:42
S65	36	S64 and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:49
S66	2	S65 and (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:45
S67	2	collect\$4 and S55 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:45
S68	2533	pedestrian with traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:46
S69	15647	traffic with monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:46

	_		.,	·		
S70	25	S68 and S69 and collection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:47
S71	14	S70 and (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:04
S72	10	("5465289"   "5465390"   "5668717"   "5745865"   "5828962"   "5946612"   "6012012"   "6202024"   "6308071"   "6341255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 17:48
S73	3766	(pedestrian or human or people) near8 traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:10
S74	46	S73 same collection\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:49
S75	20	S74 and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:49
S76	23	demographic\$1 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:53
S77	. 444	national and census	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:54
S78	18	S77 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:55
S79	12024	(demographic\$1 or profile\$1 or census or corporate or sales) near4 (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:55

S80	28010	(demographic\$1 or profile\$1 or census or corporate or sales) same (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:56
S81	1514	(monitoring or monitored or monitor) with (video or sensor\$1 or camera\$1) with traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:57
582	1537	705/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:58
S83	258	705/13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	, 2005/02/17 17:58
S84	147	348/149.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:00
S85	0	S84 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:00
\$86	31893	"705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:01
S87	1558	S86 and "434"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:01
S88	147	S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:01
S89	1	S84 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:01

		,				<del></del>
S90	1392	348/15\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:01
S91	15	S90 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:02
S92	5355	(consumer or customer or pedestrian or human or people) near5 traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:03
S93	23	S92 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:03
S94	16	S93 and (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:07
S95	2813	national near3 (database\$1 or repository or index\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2005/02/17 18:07
S96	112460	video adj (camera\$1 or monitor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:10
S97	170406	(digital or video) adj2 (camera\$1 or monitor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:07
S98	125	S97 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:08
S99	8	S92 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:09

			· · · · · · · · · · · · · · · · · · ·			
S10 0	713	(collect\$4 or gather\$3) with (information or statistic\$1 or data or traffic) with (video adj (camera\$1 or monitor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:11
S10 1	2	S100 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:11
S10 2	4	(("20010055965") or ("6223125")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:13
S10 3	1	S53 and (database\$1 or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:15
S10 4	1	S103 and monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:15
S10 5	18	"6166729".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:08
S10 6	7721	(consumer\$1 or customer\$1 or subscriber\$1 or pedestrian\$1) near4 traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:09
S10 7	12838	(consumer\$1 or customer\$1 or subscriber\$1 or pedestrian\$1) near4 (usage\$1 or traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:34
S10 8	0	S107 and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:09
S10 9	58510	"348"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:09

		T		1	<del></del>	<del></del>
S11 0	110	S109 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:10
S11 1	56	S110 and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:32
S11 2	12	S111 and (database\$1 or repositor\$3) and (sensor\$1 or camera\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:10
S11 3	204543	(information or data) near3 (collect\$4 or gather\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:11
S11 4	8	S113 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:12
S11 5	71	((shoppping adj center\$1) or mall\$1) same S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:13
S11 6	16	S115 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/22 11:14
S11 7	34	"5124915".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:15
S11 8	2	S117 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:23
S11 9	2	"5717923".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:23

					· · · · · · · · · · · · · · · · · · ·	
S12 0	2	S119 and (database\$1 or repositor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:26
S12 1	5340	(combin\$3 or merg\$3) with (database\$1 or repository) with (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:28
S12 2	4	quadrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:32
S12 3	4	("5557513").URPN.	USPAT	OR	OFF	2005/02/22 11:28
S12 4	9	("5915246").URPN.	USPAT	OR	OFF	2005/02/22 11:29
S12 5	1046	(demographic\$1 or census) near4 (database\$1 or repositor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:32
S12 6	144	S125 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:32
S12 7	36	S126 and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:34
S12 8	2	S127 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:34
S12 9	193	S107 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:34
S13 0	44	S129 and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:35

			-			
S13 1	4	S130 and (camer\$1 or sensor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:35
S13 2	4	S130 and (camera1 or sensor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/22 11:35
S13 3	4	S130 and (camera\$1 or sensor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:42
S13 4	790	datamart or datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:48
S13 5	2	"5465115".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:48
S13 6	0	S135 and (database\$1 or repositor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:51
S13 7	936	rct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:51
S13 8	11	S137 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 11:51
S13 9	7	("3727034"   "3808410"   "4285483"   "4700295"   "4799243"   "4831638"   "5250941").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/22 11:51
S14 0	17	("5250941").URPN.	USPAT	OR	OFF	2005/02/22 11:52
S14 1	13	("5691919").URPN.	USPAT	OR	OFF	2005/02/22 11:53

		,		Ψ-		
S14 2	0	headcount.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/11/07 11:29
S14 3	4	quadrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 11:29
S14 4	. 5	("5557513").URPN.	USPAT	OR	OFF	2005/11/07 11:31
S14 5	9	"5973732"	USPAT	OR	OFF	2005/11/07 13:28
\$14 6	7	(S144 or S145) and camera\$1	USPAT	OR	OFF	2005/11/07 11:32
S14 7	1	countwise.asn.	USPAT	OR .	OFF	2005/11/07 11:33
S14 8	6	("5305390"   "5339275"   "5465115"   "5866887"   "5973732"   "6166729"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:33
S14 9	15	("3997866"   "4356387"   "4528679"   "4847485"   "5068537"   "5138638"   "5149921"   "5305390"   "5313060"   "5485347"   "5541414"   "5866887"   "5920057"   "5973732"   "6388573"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:33
S15 0	7	("5920057").URPN.	USPAT	OR	OFF	2005/11/07 11:34
S15 1	8	vultron	USPAT	OR	OFF	2005/11/07 11:34
S15 2	5	("5973732").URPN.	USPAT	OR	OFF	2005/11/07 11:35
\$15 3	11	("4555696"   "4929928"   "5305390"   "5317309"   "5587703"   "5640002"   "5973732"   "5995015"   "6098048"   "6104333"   "6123259").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:37
S15 4	13	(S153 or S152 or S148 or S149 or S147 or S146) and camera\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:38

C1E	39	("A621250"   "5242419"   "5414772"	US-PGPUB;	OR	OFF	2005/11/07 11:38
S15	39	("4621259"   "5243418"   "5414773"     "5479268"   "5485197"   "5532754"	USPAT;	OK	011	2003/11/07 11.38
		"5550576"   "5684525"   "5704837"	USOCR			
		"5724492"   "5737028"   "5751282"				
		"5808613"   "5818441"   "5828945"				
		"5841563"   "5898429"   "5900915"				
		"5923362"   "5926168"   "5929849"     "5949973"   "5956456"   "5977964"				
		"5940073"   "5956456"   "5977964"   "5999167"   "5999187"   "6002403"				
		"6029195"   "6043818"   "6061055"				
		"6072983"   "6075575"   "6078348"				
İ		"6081271"   "6167188"   "6205485"				
		"6233389"   "6243039"   "6271831").				
		PN.				
S15	13	S155 and camera\$1	US-PGPUB;	OR	OFF	2005/11/07 11:39
6			USPAT;			
			USOCR			
S15	7078	(track\$3 or count\$3) near3	US-PGPUB;	OR	OFF	2005/11/07 11:39
7		(passenger\$1 or customer\$1)	USPAT; USOCR			
S15	27	S157 same (video near2 camera\$1)	US-PGPUB;	OR	OFF	2005/11/07 11:39
8			USPAT; USOCR			
S15 9	9	S158 and @ad<"19970319"	US-PGPUB;	OR	OFF	2005/11/07 11:42
9			USPAT; USOCR			
C16	2522	(handhurruld) an index day and ((accept		OD	055	2005/11/07 11:42
S16 0	2523	(benchmark\$1 or index\$2) and ((count or counting or monitor\$3 or track\$3)	US-PGPUB; USPAT;	OR	OFF	2005/11/07 11:42
		near5 (customer or consumer\$1 or	USOCR			
		passenger\$1 or shopper\$1))	Cock			
S16	116	S160 and traffic and (video adj	US-PGPUB;	OR	OFF	2005/11/07 11:42
1		camera\$1)	USPAT;			
			USOCR			
S16	10	S161 and @ad<"19970319"	US-PGPUB;	OR	OFF	2005/11/07 11:56
2		-	USPAT;			' '
			USOCR			
S16	5	mall adj traffic	US-PGPUB;	OR	OFF	2005/11/07 11:43
3			USPAT;			
			USOCR			
S16	13	("5712830").URPN.	USPAT	OR	OFF	2005/11/07 11:43
4						

		(	1.10	T ==	T	T
\$16 5	57	("4603390"   "5170352"   "5410346"   "5432508"   "5448487"   "5497314"   "5642431"   "5648906"   "5675661"   "5675663"   "5689442"   "5699449"   "5703964"   "5712830"   "5745052"   "5748107"   "5764852"   "5774129"   "5828769"   "5842162"   "5842194"   "5845268"   "5850470"   "5864305"   "5877969"   "5901246"   "5901660"   "5912980"   "5920477"   "5923791"   "5940481"   "5946675"   "5963670"   "5974175"   "5982934"   "5983161"   "5986357"   "5987154"   "5991429"   "6006175"   "6006181"   "6006185"   "6009390"   "6011854"   "6014468"   "6058352"   "6081750"   "6092919"   "6107942"   "6134525"   "6144910"   "6285297"   "6292110"   "6340935"   "6501391"   "6570608"   "RE36041"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:47
S16 6	1	"5832756".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:47
S16 7	1	"5832456".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 13:30
S16 8	253	traffic adj database	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:51
S16 9	1	S168 and S160	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 11:53
S17 0	14	(("5,465,115") or ("5,559,496") or ("5,696,965") or ("5,764,283") or ("5,812,951") or ("5,918,225") or ("6,018,697")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 11:53
S17 1	3	S170 and database and traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 11:56
S17 2	134	pedest\$8 and (traffic adj monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2005/11/07 11:57
S17 3	27	S172 and @ad<"19970319"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:09

	1	T	Τ	T	Γ	
S17 4	1	pedest\$8 and (plurality adj2 (traffic adj monitor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:08
S17 5	0	S174 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 11:57
S17 6	1	pedest\$8 and (plurality adj2 ((pedestrian or traffic) adj monitor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:09
S17 7	19	(plurality adj2 ((pedestrian or traffic) adj monitor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:09
S17 8	. 4	S177 and @ad<"19970319"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:14
S17 9	1	"5465115".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:11
S18 0	8	("3736376"   "4688090"   "4908704"   "5097328"   "5134472"   "5136383"   "5196929"   "5243418").PN.	US-PGPUB; USPAT; USOCR	OR ·	OFF	2005/11/07 12:11
S18 1	58	("5243418").URPN.	USPAT	OR	OFF	2005/11/07 12:11
S18 2	18	"5465115".uref.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:12
S18 3	15	(S181 or S182) and (repositor\$3 or database\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:12
S18 4	5	S183 and @ad<"19970319"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:13
S18 5	70	stor\$3 near4 ((customer or consumer or pedestrian) adj traffic)	US-PGPUB; USPAT; USOCR	OR .	OFF	2005/11/07 12:14
S18 6	97	stor\$3 near7((customer or consumer or pedestrian) adj traffic)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:14
S18 7	38	S186 and @ad<"19970319"	US-PGPUB; USPAT; USOCR	OR ,	OFF	2005/11/07 12:15

			<del></del>			
S18 8	1	S179 and (stor\$3 or memory or storage or database or repository)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:28
S18 9	5	S170 and camera\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 12:32
S19 0	7	"5485347"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 13:10
S19 1	1	server\$1 and "5485347"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 13:11
S19 2	0	"5465115".pn. and server\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 13:15
S19 3	2	server near4 (connect\$2 or coupl\$3) near4 (traffic adj monitor\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 13:15
S19 4	1	"5832756".pn.	USPAT	OR	OFF	2005/11/07 13:28
S19 5	1	"5485347".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 13:30
S19 6	1	S195 and (stor\$3 or database\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/07 13:30